Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

Establishment Name WHITE CASTLE Address 1701 E. SPRING ST, NEW ALBANY IN 47150 Owner WHITE CATLE SYSTEM Owner's Address 555 EDGAR WALDO WAY COLUMBUS, OH 43216- Person in Charge NIKKI CLARK Responsible Person's Email POWERSL@WHITECASTLE.COM Certified Food Handler NICOLE CLARK					Est Own	Felephone Number 812-945-4080 614-228-5781 Purpose X Routine Follow-up Complaint Pre-Operational Temporary HACCP Other (list)	Date of Inspection 12/15/2020 Follow Up 12/22/2020 Menu Type 1 2 3 _X	Released 12/15/2020	
			KLIST AND NARRATIVE COLUMI PECTIONS ARE DENOTED IN THE		AND IN THE NA	RRAIVE COLUMN MARKED AS "R"	1		
Section # C NC R Narrative						To Be Corrected			
188 345 218 256 310 342 389 431 431	X	x x x x x	Measured sloppy joe in BOH warmer at 100 and 50 degrees. This unit is for hot holding only, not reheating. Product should be rapidly reheated (within 2 minutes) to 135 minimum, before hot holding. Observed BOH handsink being used as a dump sink (ice and food debris). Observed ice build-up on walk-in freezer unit. Observed no quick-read thermometer at drive-thru cooler. Observed BOH ceiling exhausts to be dusty. Measured BOH handsink at 80 degrees. Handwashing sink should reach 12/22/20 100 degrees for at least 20 seconds for proper handwashing. Observed soiled mop head left in mop corral basin. Observed white powder (drywall dust?) behind drive-thru drink unit. Observed lobby cabinet to be dirty with trash and food debris. TODAY						
Summary of				7 R <u>0</u>					
Received by (name and title printed):						Inspected by (name and title printed):			
NIKKI CLARK						A.J. Ingram CHIEF FOOD SPECIALIST			
Received by (signature):					ln	Inspected by (signature):			
cc:				cc:			cc:		